KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

1 of 1

## Friendly Delta-9 + THC-P "Pink Lemonade"

kca

ample ID: SA-240806-45 atch: 7842-PL-20 ype: Finished Product - I 1atrix: Edible - Gummy nit Mass (g): 9.57759	Received: 08/08/2024		Friendly H 444 Yoland	<b>Client</b> Friendly Hemp 444 Yolanda Ave Ste C5 Santa Rosa, CA 95404 USA	
			Summ Test Cannabing	Date Tested	Status Tested
0.126 %	0.126 %	0.242 %	Not Teste	d Not Tested	Yes
Total ∆9-THC	<b>Д9-ТНС</b>	Total Cannabinoids	Moisture Cor	ntent Foreign Matter	Internal Standard
					Normalization
	y HPLC-PDA a	nd GC-MS/MS	LOQ	Result	Result
nalyte	y HPLC-PDA a	nd GC-MS/MS	LOQ (%)	Result (%)	Result (mg/unit)
nalyte BC	by HPLC-PDA a LOE (%)	nd GC-MS/MS	LOQ (%) 1.00284	Result (%) ND	Result (mg/unit) ND
halyte BC BCA	oy HPLC-PDA a Loc (%) 0.0001	nd GC-MS/MS	LOQ (%) 1.00284 1.00543	Result (%) ND ND	Result (mg/unit) ND ND
alyte ac acA acV	oy HPLC-PDA a Loc (%) 0.000 0.001 0.001 0.001	nd GC-MS/MS	<b>LOQ</b> (%) 0.00284 0.00543 0.0018	Result (%) ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND
halyte BC BCA BCV BD	by HPLC-PDA a Loc (%) 0.000 0.001 0.000 0.000	nd GC-MS/MS	LOQ (%) 1.00284 1.00543 0.00543 0.0018 1.00242	Result (%) ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND
halyte BC BCA BCV BD BDA	by HPLC-PDA a Loc (%) 0.000 0.001 0.000 0.000 0.000	nd GC-MS/MS	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013	Result (%) ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND ND
halyte BC BCA BCV BD BDA BDA BDP	by HPLC-PDA a Loc (%) 0.000 0.001 0.000 0.000 0.000 0.000	nd GC-MS/MS	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.002	Result (%) ND ND ND ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND ND ND
halyte BC BCA BCV BD BDA BDP BDV	by HPLC-PDA a LOE (%) 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	nd GC-MS/MS	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.002 0.0013 0.002	Result (%) ND ND ND ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND ND ND ND ND
nalyte BC BCA BCV BD BDA BDA BDP BDV BDVA	by HPLC-PDA a LOE (%) 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	nd GC-MS/MS	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.002 0.0013 0.002 0.00182 0.00063	Result (%) ND ND ND ND ND ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND
halyte BC BCA BCV BD BDA BDA BDV BDVA BCVA BC	by HPLC-PDA a LOE (%) 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	nd GC-MS/MS	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.002 0.0013 0.002 0.00132 0.00063 0.00063 0.00172	Result (%) ND ND ND ND ND ND ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND
nalyte BC BCA BCA BD BDA BDA BDP BDV BDVA BCA BCA	by HPLC-PDA a LOE (%) 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	nd GC-MS/MS	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.002 0.0013 0.002 0.00132 0.00063 0.00063 0.00172 0.00147	Result (%) ND ND ND ND ND ND ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND ND
halyte BC BCA BCA BCV BD BDA BDA BDA BDV BDVA BCA BCA BCA BL	by HPLC-PDA a LOE (%) 0.000	nd GC-MS/MS	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.002 0.0013 0.002 0.0013 0.00063 0.00063 0.00172 0.00147 0.00335	Result (%) ND ND ND ND ND ND ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND ND
nalyte ac ac ac ac ac ac ac ac ac ac	Py HPLC-PDA a LOE (%) 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	nd GC-MS/MS	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.002 0.0013 0.002 0.0013 0.00063 0.00172 0.00147 0.00335 0.00371	Result (%) ND ND ND ND ND ND ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND ND
halyte ac ac ac ac ac ac ac ac ac ac	Py HPLC-PDA a LOE (%) 0.000	nd GC-MS/MS	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.002 0.0013 0.002 0.0013 0.00172 0.00172 0.00147 0.00335 0.00371 0.00169	Result (%) ND ND ND ND ND ND ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND N
nalyte BC BCA BCA BCA BCA BDA BDA BDA BDV BDVA BDVA BCA BLA BLA BLA BN BNA	Py HPLC-PDA a LOE (%) 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.000000	nd GC-MS/MS	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.002 0.0013 0.00172 0.00172 0.00172 0.00172 0.00147 0.000335 0.000371 0.00035 0.000371 0.00169 0.00181	Result (%) ND ND ND ND ND ND ND ND ND ND ND ND ND	Normalization  Result (mg/unit)  ND
nalyte BC BCA BCA BCA BCA BDA BDA BDA BDV BDVA BDVA BCA BLA BLA BLA BNA BNA BT	Py HPLC-PDA a LOE (%) 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.000000	nd GC-MS/MS 95 C 81 C 95 C 81 C 95 C 81 C 95 C 81 C 95 C 95 C 95 C 95 C 95 C 95 C 95 C 95	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.002 0.0013 0.002 0.00182 0.00063 0.00172 0.00147 0.000335 0.000172 0.00147 0.000335 0.000371 0.000169 0.00181 0.000181 0.000181	Result (%) ND ND ND ND ND ND ND ND ND ND ND ND ND	Result (mg/unit)         ND         ND<
nalyte BC BCA BCA BCV BD BDA BDP BDV BDVA BG BGA BLA BLA BNA BNA BT 8-THC	Py HPLC-PDA a LOE (%) 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.000000	nd GC-MS/MS 95 C 81 C 95 C 81 C 95 C 81 C 95 C 81 C 95 C 95 C 95 C 95 C 95 C 95 C 95 C 95	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.002 0.0013 0.00172 0.00172 0.00172 0.00172 0.00147 0.000335 0.000371 0.00035 0.000371 0.00169 0.00181	Result (%) ND ND ND ND ND ND ND ND ND ND ND ND ND	Normalization  Result (mg/unit)  ND
malyte BC BCA BCV BD BDA BDP BDV BDVA BG BGA BLA BLA BLA BNA BT 8-THC 8-THC	Py HPLC-PDA a LOE (%) 0.000	nd GC-MS/MS	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.002 0.0013 0.00172 0.00172 0.00147 0.00063 0.00172 0.00147 0.000335 0.000172 0.00169 0.00181 0.000181 0.00054 0.00054 0.00054	Result (%) ND ND ND ND ND ND ND ND ND ND ND ND ND	Result (mg/unit)         ND         ND<
nalyte BC BCA BCA BCV BD BDA BDP BDV BDVA BG BGA BL BLA BLA BN BNA BT 8-THC 8-THC 8-THCP 9-THC	Py HPLC-PDA a LOE (%) 0.0000 0.000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.000000	nd GC-MS/MS	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.002 0.0013 0.002 0.00182 0.00063 0.00172 0.00147 0.000335 0.000172 0.00147 0.00335 0.000371 0.00169 0.00181 0.000181 0.00054 0.000181 0.00054 0.000312 0.0002	Result (%) ND ND ND ND ND ND ND ND ND ND ND ND ND	Normalization  Result (mg/unit)  ND
nalyte BC BCA BCV BD BDA BDP BDV BDVA BG BGA BL BLA BLA BN BNA BT 8-THC 8-THC 9-THC 9-THC	Py HPLC-PDA a LOE (%) 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.000000	nd GC-MS/MS	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.002 0.0013 0.002 0.0013 0.00172 0.00147 0.00335 0.00172 0.00147 0.00335 0.00172 0.0019 0.00054 0.00019 0.00054 0.00054 0.00054 0.0002 0.0002 0.00019 0.00054 0.0002 0.0002 0.0002 0.0002 0.002 0.0022	Result         (%)           ND         ND           ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND N
nalyte BC BCA BCA BCV BD BDA BDP BDV BDVA BG BGA BL BLA BLA BNA BT 8-THC 8-THC 8-THC 9-THC 9-THCA 9-THCP	Py HPLC-PDA a LOE (%) 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.000000	nd GC-MS/MS	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.002 0.0013 0.002 0.00172 0.00147 0.00063 0.00172 0.00147 0.00335 0.00172 0.0019 0.00019 0.00019 0.00054 0.0002 0.0019 0.00054 0.0002 0.0021 0.0025 0.0027 0.0027 0.0027 0.0027 0.0027 0.0027 0.0027 0.0027 0.0027 0.0027 0.00251	Result         (%)           ND         ND           ND	Normalization  Result (mg/unit)  ND  ND  ND  ND  ND  ND  ND  ND  ND  N
malyte BC BCA BCV BD BDA BDP BDV BDVA BG BGA BL BLA BLA BN BNA BT 8-THC 8-THC 9-THC 9-THC 9-THCP 9-THCP 9-THCV	Py HPLC-PDA a LOE (%) 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.000000	nd GC-MS/MS	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.002 0.0013 0.00172 0.00147 0.00063 0.00172 0.00147 0.000335 0.000172 0.00147 0.000335 0.000172 0.0019 0.00019 0.00019 0.00019 0.00019 0.00019 0.00019 0.0002 0.0019 0.0002 0.0002 0.0002 0.0002 0.00019 0.000200000000	Result         (%)           ND         ND           ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND N
Cannabinoids b malyte BC BCA BCV BD BDA BDA BDP BDV BDVA BGA BLA BLA BLA BLA BLA BNA BT 8-THC 8-THC 9-THC 9-THC 9-THC 9-THCV 9-THCV 9-THCV 9-THCV	Py HPLC-PDA a LOE (%) 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.000000	nd GC-MS/MS	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.002 0.0013 0.002 0.00172 0.00172 0.00147 0.00335 0.00172 0.00147 0.00335 0.00172 0.0019 0.0021 0.0021 0.0021 0.0021 0.0021 0.0021 0.0021 0.0021 0.0021 0.0021 0.0021 0.0021 0.0021 0.0021 0.0022 0.0021 0.0022 0.00227 0.00221 0	Result         (%)           ND         ND           ND         0.108           ND         ND	Result (mg/unit)ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit;  $\Delta$  = Delta; Total  $\Delta$ 9-THC =  $\Delta$ 9-THCA \* 0.877 +  $\Delta$ 9-THC; Total CBD = CBDA \* 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 08/21/2024

Testéd By: Nicholas Howard Scientist Date: 08/20/2024



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.